

New Jersey Division of HIV/AIDS Services  
Persons Living with HIV/AIDS as of June 30, 2004  
Vineland Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	----	---	----	---	----	---
AIDS-Any OI	33	19	0	0	33	18
AIDS-CD4 Only	#	#	#	#	61	34
HIV Only	#	#	#	#	85	47
-----	----	---	----	---	----	---
Total	178	100	#	#	179	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	----	---	-----	----	---	----	---	----	---
<5	0	0	White, Not Hispanic	23	13	0	0	23	13
5-12	#	#	Black, Not Hispanic	52	29	0	0	52	29
13-19	#	#	Hispanic	#	#	#	#	103	58
20-29	6	3	Other/Unknown	#	#	#	#	#	#
30-39	64	36	-----	----	---	----	---	----	---
40-49	66	37	Total	178	100	#	#	179	100
50+	37	21							
Unk.	0	0							
-----	----	---							
Total	179	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	----	-----	----	-----	----
Men sex with men (MSM)	24	22	0	0	24	14
Injection drug user (IDU)	46	42	18	27	64	37
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	24	22	10	15	34	19
-----	-----	----	-----	----	-----	----
Total	109	100	66	100	175	100

  

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	----	-----	----	-----	----
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	----	-----	----	-----	----
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification based on current age at the end of June 2004.

\*\* # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of June 30, 2004  
Vineland Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	( #)	#	( #)	#	( #)	#	( #)
Other OI w/o PCP	#	( #)	#	( #)	#	( #)	47	( 22)
KS Alone	#	( #)	#	( #)	#	( #)	#	( #)
No Disease Listed	96	( 46)	35	( 38)	0	( 0)	96	( 46)
Total	207	(100)	115	( 58)	#	( #)	210	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	41	20	0	0	41	20
5-12	#	#	Black, Not Hispanic	56	27	0	0	56	27
13-19	#	#	Hispanic	#	53	#	#	113	54
20-29	35	17	Other/Unknown	#	#	#	#	0	0
30-39	90	43							
40-49	59	28	Total	207	100	#	#	210	100
Over 49	22	10							
Unknown	0	0							
Total	210	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	35	24	0	0	35	17
Injection drug user (IDU)	70	49	22	34	92	44
MSM/IDU	5	3	0	0	5	2
Heterosexual contact	9	6	34	53	43	21
Risk not reported/other***	24	17	8	13	32	15
Total	143	100	64	100	207	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	.	0	0
Total	#	#	#	#	#	#

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of AIDS diagnosis.

\*\* 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of June 30, 2004  
Vineland Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	#	#	#
1986	#	#	#
1987	#	#	#
1988	6	6	100%
1989	6	5	83%
1990	8	8	100%
1991	15	14	93%
1992	19	16	84%
1993	20	14	70%
1994	14	10	71%
1995	17	9	53%
1996	24	12	50%
1997	8	#	#
1998	17	5	29%
1999	11	#	#
2000	11	#	#
2001	8	#	#
2002	12	#	#
2003	#	#	#
2004	#	#	#
-----	-----	-----	-----
Total	210	116	55%

New Jersey Division of HIV/AIDS Services  
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004  
Vineland Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	-----	---		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	11	12	0	0	11	11
5-12	#	#	Black, Not Hispanic	28	29	0	0	28	29
13-19	#	#	Hispanic	#	#	#	#	#	#
20-29	33	34	Other/Unknown	#	#	#	#	#	#
30-39	33	34	-----	-----	---	-----	---	-----	---
40-49	21	22	Total	95	100	#	#	97	100
Over 49	6	6							
Unknown	0	0							
-----	-----	---							
Total	97	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	9	16	0	0	9	9
Injection drug user (IDU)	25	44	7	18	32	34
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	14	25	6	16	20	21
-----	-----	---	-----	---	-----	---
Total	57	100	38	100	95	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

\* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

# indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\*\* 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of June 30, 2004  
Vineland Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	114	37
AIDS-CD4 Only	96	32	0	0	96	31
HIV Only	#	#	#	#	97	32
-----	-----	---	-----	---	-----	---
Total	302	100	5	100	307	100

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	52	17	0	0	52	17
5-12	#	#	Black, Not Hispanic	84	28	0	0	84	27
13-19	5	2	Hispanic	165	55	5	100	170	55
20-29	77	25	Other/Unknown	#	#	0	0	#	#
30-39	118	38	-----	-----	---	-----	---	-----	---
40-49	78	25	Total	302	100	5	100	307	100
Over 49	24	8							
Unknown	0	0							
-----	-----	---							
Total	307	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	44	22	0	0	44	15
Injection drug user (IDU)	95	48	29	28	124	41
MSM/IDU	7	4	0	0	7	2
Heterosexual contact	16	8	59	58	75	25
Risk not reported/other***	38	19	14	14	52	17
-----	-----	---	-----	---	-----	---
Total	200	100	102	100	302	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	5	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	5	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of first HIV+/AIDS diagnosis.

\*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of June 30, 2004  
Vineland Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	#	#	#
1985	#	#	#
1986	#	#	#
1987	#	#	#
1988	10	10	100%
1989	9	8	89%
1990	17	16	94%
1991	21	14	67%
1992	27	9	33%
1993	25	12	48%
1994	26	15	58%
1995	29	9	31%
1996	28	11	39%
1997	19	#	#
1998	20	#	#
1999	16	#	#
2000	14	#	#
2001	14	#	#
2002	10	#	#
2003	8	0	0%
2004	#	#	#
-----	-----	-----	-----
Total	307	128	42%